

CITY OF TOLLESON
ENGINEERING DEPARTMENT

PAVING NOTES

1. All construction shall be in accordance with current MAG Specifications and Standard Details.
2. The contractor shall obtain all necessary permits prior to construction.
3. City of Tolleson Building Department shall be notified 24 hours prior to starting each phase of construction. Phone, (623) 936-7111.
4. Any work performed without the approval of the City of Tolleson Building Department and/or all work and material not in conformance with the specifications is subject to removal and replacement at the contractor's expense.
5. The contractor will uncover all existing lines being tied into to verify their location. The contractor will locate, or have located, all existing underground utilities (electric, telephone, pipeline, etc.) and structures in advance of construction and will eliminate all conflicts prior to start of construction. BLUE STAKE telephone number (602) 263-1100.
6. The City of Tolleson is not responsible for liability accrued due to delays and/or damages to utilities in conjunction with this construction. Also, the City will not participate in the cost of construction for utility relocation.
7. No final inspection walk through will be scheduled until "as-built" plans have been submitted by the Engineer or Surveyor for review. No final acceptance shall be issued until "as-built" plans have been reviewed and approved by the City Engineer. Upon approval, the Owner shall provide to the City one set of mylar reproducible plans, two blackline copies, and one digital copy on CD in .tif format.
8. Location of all valves must be referenced at all times by the contractor during construction.
9. No paving construction shall be started until all underground utilities within the roadway are completed.
10. Base course shall not be placed on subgrade until base requirements have been completed and accepted by the City.
11. All return type driveways with concrete pavement shall utilize MAG Class A concrete for all construction within the right-of-way.
12. Gutters shall be water tested in the presence of the City's authorized representative to ensure proper drainage, prior to final approval by the City.
13. Exact point of matching termination and overlay, if necessary, may be determined in the field by the City.

14. No job will be considered complete until all curbs, pavement, and sidewalks have been swept clean of all dirt and debris.
15. The contractor shall keep suitable equipment on hand at the jobsite for maintaining dust control, and shall control dust as directed by the City.
16. The contractor shall provide adequate means for cleaning trucks and/or other equipment of mud prior to entering public streets. It is the contractor's responsibility to clean streets and take whatever measures are necessary to ensure that all roads are maintained in a clean, mud and dust free condition at all times.
17. Traffic control shall be maintained in accordance with MAG Spec. 401 and the Manual on Uniform Traffic Control Devices. Off-duty Police Officers required for traffic control shall be members of the City of Tolleson Police Department.
18. Disposal of excess material within the City Limits is prohibited. A use permit is required for disposal or stockpiling of material within a residential area.
19. Stockpiling of excavated material shall not exceed a height of six (6) feet above the natural ground elevation.
20. The slopes on all sides of stockpiles of excavated material shall not exceed a 1 to 4 ratio of height.
21. All contractors shall contract for private trash pickup.
22. Any and all damage to existing public improvements shall be repaired by the contractor to the City's satisfaction prior to issuance of final project acceptance.
23. Construction water is available from the City of Tolleson in accordance with the City's Hydrant Meter Issuance Policy and upon payment of applicable fees. The City requires all construction water to be delivered through an approved water tower with air-gap. A water tower shall be provided on or near the site at all times that water for construction is required. The hydrant from which construction water is to be delivered shall be determined by the City. Call (623) 936-8500 for details.
24. I hereby certify that the "as-built" information as shown hereon was made under my supervision, or as noted, and is correct to the best of my knowledge and belief.

Registered Professional Engineer or Licensed Surveyor

Date